


- 2分割または4分割タイプのKCVは、伸縮自在の型枠構造を採用し、製品サイズを幅・高さ・共10cmピッチで製作できます。多様な現場条件に対応する製品が容易に供給できます。
- 従来の現場打ちボックスカルバートに比べ、大幅な工期短縮が可能です。
- 分割部材の現場組立を基本とし、大型製品でありながら、狭い現場への搬入や重機の小型化が可能です。また、KTジョイントは、施工が容易で熟練工が不要です。
- プレキャスト部材の分割生産により低コスト化を実現しました。



呼び	寸法(mm)						参考重量(kg/本)		
	b	h	t1,t2	t3	h1	L	頂底板	側版	1組
KCV-300×150	3000	1500	220	200	*	2000	5690	—	11380
KCV-300×160	3000	1600	220	200	*	2000	5790	—	11580
KCV-300×170	3000	1700	220	200	*	2000	5890	—	11780
KCV-300×180	3000	1800	220	200	*	2000	5990	—	11980
KCV-300×190	3000	1900	220	200	*	2000	6090	—	12180
KCV-300×200	3000	2000	220	200	*	2000	6190	—	12380
KCV-300×210	3000	2100	220	200	*	2000	6290	—	12580
KCV-300×220	3000	2200	220	200	*	2000	6390	—	12780
KCV-300×230	3000	2300	220	200	*	2000	6490	—	12980
KCV-300×240	3000	2400	220	200	*	2000	6590	—	13180
KCV-300×250	3000	2500	220	200	*	2000	6690	—	13380
KCV-300×260	3000	2600	220	200	*	2000	6790	—	13580
KCV-300×270	3000	2700	220	200	*	2000	6890	—	13780
KCV-300×280	3000	2800	220	200	*	2000	6990	—	13980
KCV-300×290	3000	2900	220	200	*	2000	7090	—	14180
KCV-300×300	3000	3000	220	200	*	2000	7190	—	14380
KCV-350×150	3500	1500	240	200	*	2000	6630	—	13260
KCV-350×160	3500	1600	240	200	*	2000	6730	—	13460
KCV-350×170	3500	1700	240	200	*	2000	6830	—	13660
KCV-350×180	3500	1800	240	200	*	2000	6930	—	13860
KCV-350×190	3500	1900	240	200	*	2000	7030	—	14060
KCV-350×200	3500	2000	240	200	*	2000	7130	—	14260
KCV-350×210	3500	2100	240	200	*	2000	7230	—	14460
KCV-350×220	3500	2200	240	200	*	2000	7330	—	14660
KCV-350×230	3500	2300	240	200	*	2000	7430	—	14860
KCV-350×240	3500	2400	240	200	*	2000	7530	—	15060
KCV-350×250	3500	2500	240	200	*	2000	7630	—	15260
KCV-350×260	3500	2600	240	200	*	2000	7730	—	15460
KCV-350×270	3500	2700	240	200	*	2000	7830	—	15660
KCV-350×280	3500	2800	240	200	*	2000	7930	—	15860
KCV-350×290	3500	2900	240	200	*	2000	8030	—	16060
KCV-350×300	3500	3000	240	200	*	2000	8130	—	16260
KCV-350×310	3500	3100	240	200	*	2000	8230	—	16460
KCV-350×320	3500	3200	240	200	*	2000	8330	—	16660
KCV-350×330	3500	3300	240	200	*	2000	8430	—	16860
KCV-350×340	3500	3400	240	200	*	2000	8530	—	17060
KCV-350×350	3500	3500	240	200	*	2000	8630	—	17260

※*印の製品は2分割、その他は4分割製品です。1組重量は2×(頂底板重量+側版重量)となります。

※h1寸法は、4分割製品に適用します。2分割製品は内高(h)の1/2の位置で接続となります。

※内幅(b)及び、内高(h)は100mmピッチで対応しております。

※人孔、ステップ、横穴、アンカー差し筋等は別途承ります。

※最小内幅(b)は2600mmから対応可能です。



呼び	寸法(mm)						参考重量(kg/本)		
	b	h	t1,t2	t3	h1	L	頂底板	側版	1組
KCV-850×150	8500	1500	600	400	*	1000	15675	—	31350
KCV-850×160	8500	1600	600	400	*	1000	15775	—	31550
KCV-850×170	8500	1700	600	400	*	1000	15875	—	31750
KCV-850×180	8500	1800	580	400	*	1000	15510	—	31020
KCV-850×190	8500	1900	580	400	*	1000	15610	—	31220
KCV-850×200	8500	2000	580	400	*	1000	15710	—	31420
KCV-850×210	8500	2100	560	400	*	1000	15345	—	30690
KCV-850×220	8500	2200	560	400	*	1000	15445	—	30890
KCV-850×230	8500	2300	560	400	*	1000	15545	—	31090
KCV-850×240	8500	2400	540	400	*	1000	15180	—	30360
KCV-850×250	8500	2500	540	400	*	1000	15280	—	30560
KCV-850×260	8500	2600	540	400	*	1000	15380	—	30760
KCV-850×270	8500	2700	540	400	*	1000	15480	—	30960
KCV-850×280	8500	2800	540	400	*	1000	15580	—	31160
KCV-850×290	8500	2900	520	400	*	1000	15215	—	30430
KCV-850×300	8500	3000	520	400	*	1000	15315	—	30630
KCV-850×310	8500	3100	520	400	*	1000	15415	—	30830
KCV-850×320	8500	3200	520	400	*	1000	15515	—	31030
KCV-850×330	8500	3300	520	400	*	1000	15615	—	31230
KCV-850×340	8500	3400	520	400	*	1000	15715	—	31430
KCV-850×350	8500	3500	520	400	*	1000	15815	—	31630
KCV-850×360	8500	3600	520	400	*	1000	15915	—	31830
KCV-850×370	8500	3700	520	400	*	1000	16015	—	32030
KCV-850×380	8500	3800	520	400	*	1000	16115	—	32230
KCV-850×390	8500	3900	520	400	*	1000	16215	—	32430
KCV-850×400	8500	4000	520	400	*	1000	16315	—	32630
KCV-850×410	8500	4100	520	400	500	1000	13315	3100	32830
KCV-850×420	8500	4200	520	400	500	1000	13315	3200	33030
KCV-850×430	8500	4300	520	400	500	1000	13315	3300	33230
KCV-850×440	8500	4400	520	400	500	1000	13315	3400	33430
KCV-850×450	8500	4500	520	400	500	1000	13315	3500	33630
KCV-850×460	8500	4600	520	400	500	1000	13315	3600	33830
KCV-850×470	8500	4700	520	400	500	1000	13315	3700	34030
KCV-850×480	8500	4800	520	400	500	1000	13315	3800	34230
KCV-850×490	8500	4900	520	400	500	1000	13315	3900	34430
KCV-850×500	8500	5000	520	400	500	1000	13315	4000	34630
KCV-900×150	9000	1500	680	440	*	1000	18671	—	37342
KCV-900×160	9000	1600	680	440	*	1000	18781	—	37562
KCV-900×170	9000	1700	680	440	*	1000	18891	—	37782
KCV-900×180	9000	1800	680	440	*	1000	19001	—	38002
KCV-900×190	9000	1900	640	440	*	1000	18123	—	36246
KCV-900×200	9000	2000	640	440	*	1000	18233	—	36466
KCV-900×210	9000	2100	640	440	*	1000	18343	—	36686
KCV-900×220	9000	2200	640	440	*	1000	18453	—	36906
KCV-900×230	9000	2300	640	440	*	1000	18563	—	37126
KCV-900×240	9000	2400	640	440	*	1000	18783	—	37566
KCV-900×250	9000	2500	640	440	*	1000	18673	—	37346
KCV-900×260	9000	2600	600	440	*	1000	17905	—	35810
KCV-900×270	9000	2700	600	440	*	1000	18015	—	36030
KCV-900×280	9000	2800	600	440	*	1000	18125	—	36250
KCV-900×290	9000	2900	600	440	*	1000	18235	—	36470
KCV-900×300	9000	3000	600	440	*	1000	18345	—	36690
KCV-900×310	9000	3100	580	440	*	1000	17961	—	35922
KCV-900×320	9000	3200	580	440	*	1000	18071	—	36142
KCV-900×330	9000	3300	580	440	*	1000	18181	—	36362
KCV-900×340	9000	3400	580	440	*	1000	18291	—	36582
KCV-900×350	9000	3500	580	440	*	1000	18401	—	36802
KCV-900×360	9000	3600	580	440	*	1000	18511	—	37022
KCV-900×370	9000	3700	580	440	*	1000	18621	—	37242
KCV-900×380	9000	3800	580	440	*	1000	18731	—	37462
KCV-900×390	9000	3900	580	440	*	1000	18841	—	37682
KCV-900×400	9000	4000	580	440	*	1000	18951	—	37902
KCV-900×410	9000	4100	580	440	500	1000	15651	3410	38122
KCV-900×420	9000	4200	580	440	500	1000	15651	3520	38342
KCV-900×430	9000	4300	580	440	500	1000	15651	3630	38562
KCV-900×440	9000	4400	580	440	500	1000	15651	3740	38782
KCV-900×450	9000	4500	580	440	500	1000	15651	3850	39002
KCV-900×460	9000	4600	580	440	500	1000	15651	3960	39222
KCV-900×470	9000	4700	580	440	500	1000	15651	4070	39442
KCV-900×480	9000	4800	580	440	500	1000	15651	4180	39662
KCV-900×490	9000	4900	580	440	500	1000	15651	4290	39882
KCV-900×500	9000	5000	580	440	500	1000	15651	4400	40102

呼び	寸法(mm)						参考重量(kg/本)		
	b	h	t1,t2	t3	h1	L	頂底板	側版	1組
KCV-950×170	9500	1700	720	440	*	1000	20779	—	41558
KCV-950×180	9500	1800	720	440	*	1000	20889	—	41778
KCV-950×190	9500	1900	720	440	*	1000	20999	—	41998
KCV-950×200	9500	2000	720	440	*	1000	21109	—	42218
KCV-950×210	9500	2100	720	440	*	1000	21219	—	42438
KCV-950×220	9500	2200	680	440	*	1000	20291	—	40582
KCV-950×230	9500	2300	680	440	*	1000	20401	—	40802
KCV-950×240	9500	2400	680	440	*	1000	20511	—	41022
KCV-950×250	9500	2500	680	440	*	1000	20621	—	41242
KCV-950×260	9500	2600	680	440	*	1000	20731	—	41462
KCV-950×270	9500	2700	680	440	*	1000	20841	—	41682
KCV-950×280	9500	2800	680	440	*	1000	20951	—	41902
KCV-950×290	9500	2900	680	440	*	1000	21061	—	42122
KCV-950×300	9500	3000	640	440	*	1000	20133	—	40266
KCV-950×310	9500	3100	640	440	*	1000	20243	—	40486
KCV-950×320	9500	3200	640	440	*	1000	20353	—	40706
KCV-950×330	9500	3300	640	440	*	1000	20463	—	40926
KCV-950×340	9500	3400	640	440	*	1000	20573	—	41146
KCV-950×350	9500	3500	640	440	*	1000	20683	—	41366
KCV-950×360	9500	3600	640	440	*	1000	20793	—	41586
KCV-950×370	9500	3700	640	440	*	1000	20903	—	41806
KCV-950×380	9500	3800	640	440	*	1000	21013	—	42026
KCV-950×390	9500	3900	640	440	*	1000	21123	—	42246
KCV-950×400	9500	4000	640	440	*	1000	21233	—	42466
KCV-950×410	9500	4100	640	440	500	1000	17933	3410	42686
KCV-950×420	9500	4200	640	440	500	1000	17933	3520	42906
KCV-950×430	9500	4300	640	440	500	1000	17933	3630	43126
KCV-950×440	9500	4400	640	440	500	1000	17933	3740	43346
KCV-950×450	9500	4500	640	440	500	1000	17933	3850	43566
KCV-950×460	9500	4600	640	440	500	1000	17933	3960	43786
KCV-950×470	9500	4700	640	440	500	1000	17933	4070	44006
KCV-950×480	9500	4800	640	440	500	1000	17933	4180	44226
KCV-950×490	9500	4900	640	440	500	1000	17933	4290	44446
KCV-950×500	9500	5000	640	440	500	1000	17933	4400	44666

